- 1. An airplane is flying towards a radar station at a constant height of 6 km above the ground. If the distance s between the airplane and the radar station is decreasing at a rate of 400 km per hour when s = 10 km., what is the horizontal speed of the plane?
- 2. A light is on the ground 20 m from a building. A man 2 m tall walks from the light directly toward the building at 1 m/s. How fast is the length of his shadow on the building changing when he is 14 m from the building?
- 3. A conical cup is 4 cm across and 6 cm deep. Water leaks out of the bottom at the rate of 2 cm³/sec. How fast is the water level dropping when the height of the water is 3 cm?
- 4. A person 2 m tall walks towards a lamppost on level ground at a rate of 0.5 m/sec. The lamp on the post is 5 m high. How fast is the length of the person's shadow decreasing when the person is 3 m from the post?
- 5. Air is escaping from a spherical balloon at the rate of 2 cm³ per minute. How fast is the surface area shrinking when the radius is 1 cm? V= $4/3 \pi r^3$ and S = $4\pi r^2$ where V is the volume and S is the surface area, r is the radius.
- 6. A funnel in the shape of an inverted cone is 30 cm deep and has a diameter across the top of 20 cm. Liquid is flowing out of the funnel at the rate of 12 cm ³/sec. At what rate is the height of the liquid decreasing at the instant when the liquid in the funnel is 20 cm deep?
- 7. Find the rate of change of the area A, of a circle with respect to its circumference C.
- 8. A boat is being pulled into a dock by attached to it and passing through a pulley on the dock, positioned 6 meters higher than the boat. If the rope is being pulled in at a rate of 3 meters/sec, how fast is the boat approaching the dock when it is 8 meters from the dock?
- 9. A man 6 feet tall walks at the rate of 5 ft/sec toward a street light that is 16 ft above the ground. a) At what rate is the tip of his shadow moving?
 - b) At what rate is the length of his shadow changing when he is 10 feet from the base of the light?
- 10. A water tank has the shape of an inverted right-circular cone, with radius at the top 15 meters and depth 12 meters. Water is flowing into the tank at the rate of 2 cubic meters per minute. How fast is the depth of water in the tank increasing at the instant when the depth is 8 meters?
- 1. A ladder 10 meters long is leaning against a vertical wall with its other end on the ground. The top end of the ladder is sliding down the wall. When the top end is 6 meters from the ground it is sliding down at 2 m/sec. How fast is the bottom moving away from the wall at this instant?
- 12. Gas is escaping a spherical balloon at the rate of 4 cm³ per minute. How fast is the surface area shrinking when the radius is 24 cm? For a sphere, $V = 4/3\pi r^3$ and $S = 4\pi r^2$ where V is volume, S is surface area and r is the radius of the balloon.

Answers

1) - 500 k/ hr 2) - 10/9 m/ s 3) - 2/ Π cm/s 4) - 1/3 m/s 5) - 4 cm²/min 6) 27/(100 Π) cm/s 7) c/(2 Π) 8) - 30/8 m/s 9a) tip - 8 ft/s b) shadow -3 ft/s must do(b) first 10) 1/(50 Π) m/s 11) 3/2 m/s 12) - 1/3 cm²/s

- 13. The radius of a right circular cylinder is increasing at the rate of 4 cm/sec but its total surface area remains constant at 600 \hbar cm². At what rate is the height changing when the radius is 10 cm?
- 14. A block of ice, in the shape of a right circular cone, is melting in such a way that both its height and its radius r are decreasing at the rate of 1 cm/hr. how fast is the volume decreasing when r = h = 10 cm?
- 15. In a right triangle, leg x is increasing at the rate of 2 m/s while leg y is decreasing so that the area of the triangle is always equal to 6 m². How fast is the hypotenuse z changing when x = 3 m?
- 16. A girl is flying a kite on a string. The kite is 120 ft. above the ground and the wind is blowing the kite horizontally away from her at 6 ft/sec. At what rate must she let out the string when 130 ft. of string has been let out?
- 17. A thin circular metal disk changes size (but not shape) when heated. The disk is being heated so that its radius is increasing at a rate of 0.03 mm/sec. How fast is the area of the disk changing when the radius is 200 mm?
- 18. A right circular cylinder of constant volume is being flattened. At the moment when its radius is 3 cm, the height is 4 cm and the height is decreased at the rate of 0.2 cm/sec. At that moment, what is the rate of change of the radius?
- 19. Assume that sand allowed to pour onto a level surface will form a pile in the shape of a cone, with height equal to diameter of the base. If sand is poured at 2 cubic meters per second, how fast is the height of the pile increasing when the base is 8 meters in diameters?
- 20. A boat is pulled into a dock by rope attached to it and passing through a pulley on the dock positioned 5 meters higher then the boat. If the rope is being pulled in at a rate of 2 m/sec, how fast is the boat approaching the dock when it is 12 meters away from the dock?
- 21. Jim, who is 180 cm tall, is walking towards a lamp-post which is 3 meters high. The lamp casts a shadow behind him. He notices that his shadow gets shorter as he moves closer to the lamp. He is walking at 2.4 meters per second.

a) When he is 2 meters from the lamp-post, how fast is the *length* of his shadow decreasing?b) How fast is the *tip* of his shadow moving?

Answers

13) - 16 cm/s	14) – 10017	15) -14/ 15 m/ s
----------------	-------------	------------------

16) 30/13 ft /s 17) 12*П* m/ s 18) 3/40 cm/ s

19) 1/ (817 m/s 20)-13/6 m/s

21a) Shadow decreasing 3.6 m/ s b) Tip decreasing 6 m/ s

Answers $\frac{5}{x} = 0 \quad \frac{1}{dt} = -400 \text{ km/hr} \quad \frac{dx}{dt} = \frac{2}{3} \\ \frac{dy}{dt} = 0 \quad \frac{ds}{dt} = -400 \text{ km/hr} \quad \frac{dx}{dt} = \frac{2}{3} \\ \frac{dx}{dt} = \frac{2}{3} \\$ Related Rates 1) $\frac{1}{2} \frac{1}{2} \frac{1}$ 2) 3) $V = \overline{3}^{m} \overline{3}$ $V = \frac{1}{27} \overline{7} \overline{7} \overline{7} \frac{dh}{dt} = \frac{1}{77} \overline{7} \overline{7} \frac{dh}{dt} = \frac{1}{77} \overline{7} \overline{7} \frac{dh}{dt}$ $\frac{dh}{dt} = \frac{-2}{77} \overline{7} \frac{dh}{dt} \frac{dh}{dt} = -\frac{2}{77} \overline{7} \frac{dm/s}{r}$ $-2 = \overline{7} \frac{dh}{dt} \frac{dh}{dt} = \frac{-2}{77} \frac{m/s}{r} \frac{dy}{dt} = -\overline{5} \frac{\pi}{s}$ $\frac{1}{5} \frac{dx}{dt} = \frac{m/s}{dt} \frac{dy}{dt} = -\overline{5} \frac{\pi}{s}$ $\frac{2}{5} = \frac{\pi}{\pi + y} \qquad 2x + 2y = 5\pi$ $\frac{2}{3} \frac{dy}{dt} = 3\frac{dx}{dt}$ $\frac{dh}{dt} = \frac{3}{5} \frac{dx}{dt}$ $\frac{dh}{dt} = \frac{2}{5} \frac{\pi}{s} \frac{dx}{dt} = \frac{2}{3} \frac{dx}{dt}$ $\frac{dh}{dt} = \frac{2}{5} \frac{\pi}{s} \frac{dx}{dt}$ $\frac{dh}{dt} = \frac{3}{5} \frac{dx}{dt}$ $\frac{dh}{dt} = \frac{1}{3} \frac{dx}{dt}$ 4.

Answers

5.
$$V = \frac{4}{3}\pi r^{3} \frac{dV}{dt} = -2cm^{3}/min \frac{dS}{dt} = ? r_{z} i$$

$$\frac{dV}{dt} = \frac{4}{5}\pi r^{3}r_{z} \frac{dV}{dt} \qquad S = 4\pi r^{2}$$

$$\frac{dV}{dt} = \frac{4}{5}\pi r^{3}r_{z} \frac{dV}{dt} \qquad S = 4\pi r^{2}$$

$$-2 = 4\pi r(0)^{2}dt \qquad \frac{dS}{dt} = 4\pi r^{2} \frac{dr}{dt}$$

$$\frac{dS}{dt} = 4\pi r^{2} \frac{dr}{dt} \qquad \frac{dS}{dt} = 4\pi r^{2} \frac{dr}{dt}$$

$$\frac{dS}{dt} = 4\pi r^{2} \frac{dr}{dt} \qquad \frac{dS}{dt} = 4\pi r^{2} \frac{dr}{dt}$$

$$\frac{dS}{dt} = 4\pi r^{2} \frac{dr}{dt} \qquad \frac{dS}{dt} = 4\pi r^{2} \frac{dr}{dt}$$

$$\frac{dS}{dt} = 4\pi r^{2} \frac{dr}{dt} \qquad \frac{dS}{dt} = 4\pi r^{2} \frac{dr}{dt}$$

$$\frac{dS}{dt} = 4\pi r^{2} \frac{dr}{dt} \qquad \frac{dS}{dt} = 4\pi r^{2} \frac{dr}{dt}$$

$$\frac{dS}{dt} = 4\pi r^{2} \frac{dr}{dt} \qquad \frac{dr}{dt} = 4\pi r^{2} \frac{dr}{dt}$$

$$\frac{dr}{dt} = -4cm^{2}/min$$

$$\frac{dr}{dt} = \frac{1}{3}mr^{2}h$$

$$\frac{dr}{dt} = \frac{1$$

6

Answers (a) Tip of Shadow $\frac{dx}{y} = ? \frac{dy}{dt} = \frac{gt}{s}$ 9 16 b dength of shadow decreasing at -8 ft/s (b) dength of shadow decreasing at -8 ft/s (c) dength of shadow dec $\frac{6}{9} = \frac{16}{y+z}$ 6y+6z = 16y 6z = 10y 6dz = 10dy dt $-\frac{30}{10} = dy$ -3 gffLength of shadow decreasing by 3 ft/s $V = \frac{1}{3}r^{2}h$ $V = \frac{1}{3}r^{2}h$ h = 12 $V = \frac{1}{3}\left(\frac{5h}{4}\right)^{2}h$ $dU = 2m^{3}/\min$ $dr = \frac{1}{3}\frac{25}{16}\cdot\frac{3h^{2}}{4t}$ $dt = \frac{1}{3}\frac{25}{16}\cdot\frac{3h^{2}}{4t}$ $dt = \frac{1}{50\pi}m|s$ $J = \frac{1}{16}\frac{25}{4t}\cdot\frac{3h^{2}}{4t}$ 10) $\begin{array}{l} \chi^{2} + y^{2} = z^{2} \\ \lambda \chi \, dx + \lambda y \, dy = \lambda z \, dz \\ dt \quad dt \quad dt \quad dt \end{array}$ $\begin{array}{c} (8) d_{x} + 6(-2) = 0 \\ d_{x} = \frac{3}{2} m/s \\ I_{x} = \frac{3}{2} m/s \end{array}$ Bottom moving away from wall at rate of 3/2 m/s

Answers
12.
$$\frac{dV}{dt} = -\frac{4}{2} \operatorname{cm}^{3}/n \quad \frac{ds}{dt} = ? \quad n = 24$$

$$V = \frac{4}{3} \pi r^{3} \qquad S = 4\pi r^{2}$$

$$\frac{dV}{dt} = \frac{4}{3} \pi r^{3} r^{2} \frac{dn}{dt} \qquad \frac{ds}{dt} = 4\pi r \cdot 2r \frac{dr}{dt}$$

$$-4 = 4\pi r (24)^{2} \frac{dn}{dt} \qquad = 8\pi (24) \frac{1}{(24^{2} + 1)}$$

$$= \frac{1}{3} \operatorname{cm}^{2}/\operatorname{min}$$

$$-4 = 4\pi r (24)^{2} \frac{dn}{dt} \qquad = -\frac{1}{3} \operatorname{cm}^{2}/\operatorname{min}$$

$$-4 = 4\pi r (24)^{2} \frac{dn}{dt} \qquad = -\frac{1}{3} \operatorname{cm}^{2}/\operatorname{min}$$


$$-4 = 4 \operatorname{cm}/s \qquad dh = ? \qquad ds = 0 \qquad n = 10$$
Surface Area : $S = 2\pi r^{2} + 2\pi r h$

$$\left[\begin{array}{c} \frac{dS}{dt} = 4\pi r \frac{ds}{dt} + 2\pi r \frac{dh}{dt} + 2\pi h \frac{dn}{dt} \\ 0 = 4\pi (10)(4) + 2\pi (10)\frac{dh}{dt} + 2\pi (20)4\right) \\ S = boo \pi = 2\pi (100) r^{3} \operatorname{cm}^{3} \\ 4\pi r \frac{ds}{dt} = 4\pi r \frac{ds}{dt} + 2\pi r \frac{dh}{dt} + 2\pi h \frac{dn}{dt} \\ 0 = 4\pi (10)(4) + 2\pi (10)\frac{dh}{dt} + 2\pi (20)4\right)$$

$$S = boo \pi = 20\pi h \\ -320\pi = 20\pi h \\ -320\pi = 20\pi r \frac{dh}{dt} - 1 \ln \frac{dh}{dt} = 1 \ln \pi \frac{dh}{dt} = 1 \ln \pi \frac{dh}{dt} + 1 \ln \pi \frac{dh}{dt} \\ 1 + \ln \frac{20 - h}{3} \\ 1 + \ln \frac{20 - h}{3} \\ 1 + \ln \frac{21}{3} r^{2}h \qquad dh = -1 \operatorname{cm}/hn \qquad dr = -1 \operatorname{cm}/hn$$

$$\frac{dV}{dt} = \pi r^{2} \frac{h}{dt} + \pi \frac{h}{3} h \cdot 2r \frac{dn}{dt} \\ = \pi r^{2} (10)(-1) + \pi^{2} (10)(2)(10)(-1) \\ = -100\pi \\ \text{V slume is decreasing at The rate of 100\pi \operatorname{cm}/h$$

8



9

Answers

17)
$$\begin{array}{l} H_{\mp}\pi r^{2} \quad \frac{d_{\pi}}{dt} = .03 \text{ mm/s} \quad \frac{dH}{dt} = .7 \\ \frac{dH}{dt} = \pi \cdot 2r \frac{d_{\pi}}{dt} \\ = \pi (2)(200)(.03) \\ = 12\pi \text{ mm/s} \qquad \text{ for a denging at rate } 12\pi \text{ mm/s} \\ \end{array} \\ \begin{array}{l} I8 \\ \hline I = 12\pi \text{ mm/s} \qquad \text{ for a denging at rate } 12\pi \text{ mm/s} \\ \frac{dU}{dt} = 0 \quad \frac{d_{\pi}}{dt} = .2 \text{ cm/s} \\ \frac{dU}{dt} = 0 \quad \frac{d_{\pi}}{dt} = .7 \\ \frac{dU}{dt} = 0 \quad \frac{dL}{dt} = .7 \\ \frac{dU}{dt} = \pi r^{2} \frac{dL}{dt} + \pi h \cdot 24\pi \frac{dL}{dt} \\ \frac{dL}{dt} = \frac{-1.8\pi}{24\pi} + 24\pi \frac{dL}{dt} \\ \frac{dL}{dt} = \frac{-1.8\pi}{24\pi} + 24\pi \frac{dL}{dt} \\ \frac{dL}{dt} = \frac{-1.8\pi}{24\pi} = \frac{3}{40} \text{ cm/s} \\ \end{array} \\ \begin{array}{l} He = 10 \quad \frac{1}{2} \frac{R^{2}L}{R} \\ Rate of ehangle of radeius \\ \frac{2}{40} \frac{M}{m/s} \\ \frac{2}{41} \frac{M}{m} \\ \frac{2}{12} \frac{M}{dt} \\ \frac{2}{12} \frac{M}{dt} \\ \frac{2}{12} \frac{M}{dt} \\ \frac{2}{8\pi} \frac{M}{m/s} \\ \frac{2}{8\pi} \frac{M}{m/s} \\ \end{array}$$

